




OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Set picior birou h710 mm
- Office leg



CODUL • ITEM

45.700.GR

H

710

L

700

L²

-


45.1218.GR

-

-

1200/1800

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior masa h710 mm cu rotita si frana.
- Leg with plate for table W/Wheel and brake.
Ø60 H 710.

CODUL • ITEM

24.6071.GR

Ø

60

H


710



ACCIAIO • STEEL



B N GR NS CR



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior masa h710xd60 mm cu flansa. RAL 9006
- Leg with plate for table W/Reg. Ø60 H 710. RAL 9006


CODUL • ITEM

	Ø	H
24.GP00.071.51	60	710
24.GP00.071.54	60	710
24.GP00.071.09	60	710
24.GP00.071.13	60	710
24.GP00.071.10	60	710

ACCIAIO • STEEL



NS



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior masa h710xd60x60 mm patrat.
- Square leg for table W/Reg. 60x60 H 710.


CODUL • ITEM

	L	H
24.Q606071.13	60	710

ACCIAIO • STEEL



NS CR



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior masa h710xd50 mm rabatabil.
- Folding leg for table. Ø50 H 710.




CODUL • ITEM

	Ø	H
24.050071.13	50	710
24.050071.10	50	710



OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior masa central h720x410x410 mm.
- Adjustable square leg for table. 60x60 H720
Cross support 450x450 mm. and base 410x410 mm.

CODUL • ITEM

24.41Q60PC.54

A	B	C	H
450	60x60	410	720

OTEL INOX • STEEL INOX



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior masa central h720xd500 mm.
- Adjustable round leg for table. Ø76 H720
Cross support 450x450 mm. and base Ø500 mm.

CODUL • ITEM

24.50D76CR.13

A	Ø	B	H
450	76	Ø500	720

OTEL INOX • STEEL INOX



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior masa central h720x450x450 mm.
- Adjustable square leg for table 60x60 H720
Cross support 450x450 mm. and base 450x450 mm.

CODUL • ITEM


24.45Q60CR.13

24.45Q60CR.54

A	B	C	H
450	60x60	450	720
450	60x60	450	720



OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior masa central telescopic h680-1200 mm
- Telescopic leg W/plate 150x150 - H 680/1200.
Base Ø390

CODUL • ITEM



24.GG06.071.10	60	680/1200
24.GG06.071.09	60	680/1200
24.GG06.071.54	60	680/1200

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior masa central h710xd80 mm.
- Leg with plate 300x300 and base

CODUL • ITEM



24.GG16.072.10	80	710
24.GG16.072.54	80	710
24.GG16.072.09	80	710

OTEL • STEEL




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Set picioare masa rabatabila
- Set of folding legs for table

CODUL • ITEM




45.095._	28	750	7	14,5
-----------------	----	-----	---	------



NYLON • NYLON



5000



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Clips prindere plinta PVC
- Clip for plinth

CODUL • ITEM

24.310.050.50




28

NYLON • NYLON



5000



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Clips prindere plinta PVC
- Clip for plinth

CODUL • ITEM

24.312.050.50





28

NYLON • NYLON



2500



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Clips prindere plinta PAL
- Clip kit for wood plinth

CODUL • ITEM


24.314.000.50



28



OTEL/ZAMAK • STEEL/ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Pior metalic reglabil 20 mm.
- Zamak feet adjustable with Allen wrench

CODUL • ITEM

07.300.010.05


Ø

H

38

31,5

OTEL/ZAMAK • STEEL/ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Pior metalic reglabil 20 mm pentru laterala h30 (100 Kg)
- Steel feet adjustable

CODUL • ITEM

07.300.000.05


Ø

H

28

31,5

ZAMAK /ABS • ZAMAK/ABS



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Pior metalic reglabil ingropat
- Steel feet adjustable

CODUL • ITEM

07.0834.05

07.0835.05

Ø

T

R

28/38

4,5


10

28/38

7,5


20

OTEL • STEEL



VIT.M10630.Z

VIT.M10640.Z



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Pior metalic reglabil
- Steel feet adjustable

CODUL • ITEM

07.00940.05

07.00950.05

07.00960.05

07.00970.05

07.00980.05

07.00990.05

07.009100.05

Ø

H

28

40

28

50

28

60

28

70

28

80

28

90


28

100

PLASTIC • PLASTIC



24.750.030.05



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior plastic bucatarie H100, 120, 150
- Surub metalic M10
- Feet adjustable H100, 120, 150


CODUL • ITEM

	Ø	Ø ²	H	PCS
22.002.100.50	60	50	100	350
22.002.120.50	60	50	120	300
22.002.150.50	60	50	150	250

PLASTIC • PLASTIC



24.750.030.05





DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior plastic bucatarie H100, 120, 150
- Surub metalic M10
- Feet adjustable H100, 120, 150

CODUL • ITEM

	Ø	H	M	PCS
22.002C.100.50	30	100	10	500
22.002C.120.50	30	120	10	400
22.002C.150.50	30	150	10	350

PLASTIC • PLASTIC



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior plastic bucatarie H100, 120, 150
- Feet adjustable H100, 120, 150

CODUL • ITEM

	Ø	H	Ø ²	PCS
22.002P.100.50	30	100	16	500
22.002P.120.50	30	120	16	400
22.002P.150.50	30	150	16	350

PLASTIC • PLASTIC



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior mobilier din plastic 33x33 mm.
- Lungime bara 2.5 ml.
- La comanda se poate livra si in finisaj de lemn (LE*)
- Plastic feet customizable. The customer can choose the total height of the leg
- Cutting customizable (Bars 2,5 mt)
- On deman wood ennobled (LE*)

CODUL • ITEM




H



17.153.10/09/LE*

2,5mt

:



PLASTIC • PLASTIC



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior mobilier din plastic d50 mm.
- Lungime bara 2.5 ml.
- La comanda se poate livra si in finisaj de lemn (LE*)
- Plastic feet customizable. The customer can choose the total height of the leg
- Cutting customizable (Bars 2,5 mt)
- On deman wood ennobled (LE*)

CODUL • ITEM


H





17.023.10/09/LE*

2,5mt

:



ZAMAK • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior metalic reglabil plat h100 mm.
- Picior realizat din famak reglabil pe inaltime
- Zamak feet with adjustable height
- Other colours on demand


CODUL • ITEM

H



17.0302.100.10/09	100	40
17.0302.140.10/09	140	30
17.0302.200.10/09	200	20

ZAMAK • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior metalic reglabil colt h100 mm.
- Picior realizat din famak reglabil pe inaltime
- Zamak feet with adjustable height
- Other colours on demand

CODUL • ITEM



L

H



17.0802.100.10/09	95	100	40
17.0802.140.10/09	95	140	30
17.0802.200.10/09	95	200	20

ZAMAK • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Piedino in zama regolabile in altezza
- Altri colori a richiesta
- Zamak feet with adjustable height
- Other colours on demand

CODUL • ITEM

H




17.0202.090.10/09	90	100
17.0202.120.10/09	120	80
17.0202.140.10/09	140	80
17.0202.200.10/09	200	60

ABS • ABS



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior patrat din ABS - 30x30 mm.
- Picior patrat reglabil (R)
- ABS feet printed - 30x30
- Version adjustable (R)


CODUL • ITEM

	A	B	H
17.30100.51	30	50	100
17.30100.09	30	50	100
17.R30105.51	30	50	105
17.R30105.09	30	50	105

ABS • ABS



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior patrat reglabil din ABS. *Vopsit in diferite culori
- ABS feet - 30x30. Paintable* on demand in various colors


CODUL • ITEM

	A	B	H
17.30100V.10	30	50	100
17.30100V.09	30	50	100
17.30100V.VE*	30	50	100
17.R30105V.10	30	50	105
17.R30105V.09	30	50	105
17.R30105V.VE*	30	50	105

ALUMIN./PLAS. • ALUMINIUM/PLASTIC



100




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Piedino in alluminio regolabile
- Aluminium feet adjustable

CODUL • ITEM


	Ø	H
17.V24E.005.09	40	50
17.V24E.006.09	40	60
17.V24E.008.09	40	80
17.V24E.010.09	40	100
17.V24E.012.09	40	120
17.V24E.015.09	40	150



ALUM./PLAST. • ALUMINIUM/PLASTIC



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior aluminium reglabil patrat
- Square aluminium feet adjustable

CODUL • ITEM

L


H

17.V25E.005.09	40x40	50
17.V25E.006.09	40x40	60
17.V25E.008.09	40x40	80
17.V25E.010.09	40x40	100
17.V25E.012.09	40x40	120
17.V25E.015.09	40x40	150

ZAMAK • ZAMAK



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior reglabil montare in cant
- Concealed feet adjustable in zamak

CODUL • ITEM

Ø


H

17.04145.Z	14	50
17.04147.Z	14	70
17.041412.Z	14	120
17.041414.Z	14	140

ZAMAK • ZAMAK



200



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior reglabil montare in cant
- Concealed feet adjustable in zamak


CODUL • ITEM

Ø

H

17.0214.Z	14	25
-----------	----	----

ABS • ABS



100



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior patrat ABS. **Vopsit in diferite culori
- La comanda se poate livra si in finisaj de lemn (LE*)
- Square fixed feet in ABS - 76x76 - H 23
- On deman wood ennobled (LE*)

CODUL • ITEM

L **I** **H**

17.0510.10	76	50	23
17.0510.09	76	50	23
17.0510.LE*	76	50	23
17.0510.VE**	76	50	23

ABS • ABS



100



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior patrat reglabil din ABS. **Vopsit in diferite culori
- La comanda se poate livra si in finisaj de lemn (LE*)
- Square screwing feet in ABS - 76x76 - H 23
- On deman wood ennobled (LE*)

CODUL • ITEM

L **I** **H**

17.R510.10	76	50	23
17.R510.09	76	50	23
17.R510.LE*	76	50	23
17.R510.VE**	76	50	23

ABS • ABS



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior tringhiular din ABS. **Vopsit in diferite culori
- La comanda se poate livra si in finisaj de lemn (LE*)
- Triangular fixed feet in ABS - H 21
- On deman wood ennobled (LE*)

CODUL • ITEM

L **I** **H**

17.0455B.10	120	32	21
17.0455B.09	120	32	21
17.0455B.LE*	120	32	21
17.0455B.VE**	120	32	21


OTEL • STEEL



24.M10H33.Z



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior metalic reglabil
- Leveller feet


CODICI • ITEM

	Ø	H	D
17.28100R.09	28	100	Ø50
17.28120R.09	28	120	Ø50
17.28150R.09	28	150	Ø50
17.28200R.09	28	200	Ø50

ABS/IRON • ABS/IRON



100




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior metalic reglabil 3 bucati
- Leveller feet

CODICI • ITEM

	Ø	H	C
17.350100.09	48	100	25
17.350120.09	48	120	25
17.350150.09	48	150	25

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Picior metalic reglabil
- Leveller feet


CODUL • ITEM

	Ø	H	M	PCS
40.M615.Z	21	15	6	1500
40.ME618.Z	21	18	6	1500
40.M822.Z	28	22	8	800
40.ME822.Z	28	22	8	800
40.M1025.Z	32	25	10	500

PLASTIC • PLASTIC



500



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Picior plastic reglabil M8
- Leveller feet M8

CODUL • ITEM

	Ø	H	C	PCS
40.2050.017.50	50	17	10	500
40.2050.027.50	50	27	10	500
40.2050.04.50	50	44	10	400





OTEL PLASTIC • STEEL NYLON



OTEL PLASTIC • STEEL NYLON



OTEL PLASTIC • STEEL NYLON



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata plastic Ø50 cu flansa 38x38mm (si frana)
- Roata plastic Ø50 cu surub M8 (si frana)
- Superior castor Ø50 W/Plate 38x38 or Pin. Color Black
- Load capacity 120 Kg.

CODUL • ITEM

Ø M A

41.30050.N	50	-	-
41.3F050.N	50	-	-
41.3P050.N	50	8	15
41.3PF50.N	50	8	15

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata plastic cu flansa 38x38mm (si frana)
- Nylon castor W/Plate 38x38mm. Color Black

CODUL • ITEM

Ø A B C KG PCS

41.0042.042.50	40	38	55	25	25	240
41.0042F.042.50	40	38	55	25	25	240
41.0050.050.50	50	38	65	25	30	300
41.0050F.050.50	50	38	65	25	30	300

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata plastic cu surub M8 (si frana)
- Nylon castor W/Pin M8x12mm. Color Black

CODUL • ITEM

Ø M A B KG PCS


41.0040.N	40	8	12	50	25	300
41.F040.N	40	8	12	50	25	300
41.0050.N	50	8	12	65	30	240
41.F050.N	50	8	12	65	30	240



PLASTIC CAUCIUC • RUBBER NYLON



120



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata plastic Ø60xh82mm cu flansa 47x47 mm
- Stylish wheel for furniture in PP+LLDPE
Ø60 with plate 47x47 mm
- Load capacity 40 Kg.

CODUL • ITEM

70.0060.GR

Ø

60

A

47


B

82

PLASTIC CAUCIUC • RUBBER NYLON



120



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata plastic Ø60xh82mm cu flansa 47x47 mm si frana
- Stylish wheel for furniture in PP+LLDPE
Ø60 with plate 47x47 mm and brake
- Load capacity 40 Kg.

CODUL • ITEM

70.F0060.GR

Ø

60

A

47


B

82

OTEL NYLON • STEEL NYLON



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu surub M8/M10
- Roata nylon cu surub M8/M10 si frana
- Nylon/steel castor Ø50/75 W/Pin M8x15mm. Color Transparent
- Load capacity 40/64 Kg.

CODUL • ITEM

40.0050.TR

40.F050.TR

40.0075.TR

Ø

50

M

8

A

15

B



65

65

97



OTEL NYLON • STEEL NYLON




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu flansa
- Nylon castor W/Plate in steel. Color Transparent

CODUL • ITEM

	Ø	A	B	C	KG
*40.118.050.06	50	42	65	32	40
**40.118.075.06	75	60	85	48	64

OTEL NYLON • STEEL NYLON




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu flansa si frana
- Nylon castor Ø50 W/Plate in steel. Color Transparent
- Load capacity 40 Kg.
- W/Brake

CODUL • ITEM

	Ø	A	B	C
40.118.050F.06	50	42	65	32

OTEL/CAUCIUC • STEEL/RUBBER




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu surub M8 si M10
- Nylon castor Ø50 W/Pin in steel. Color Grey.
- Load capacity 35 Kg.

CODUL • ITEM

	Ø	M	A	B
70.10050.GR	50	10	20	70
70.80050.GR	50	8	20	70

OTEL/CAUCIUC • STEEL/RUBBER



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu surub M8 si frana
- Nylon castor Ø50 W/Pin in steel with brake. Color Grey.
- Load capacity 35 Kg.

CODUL • ITEM


	Ø	M	A	B
70.8F0050.GR	50	8	20	70



OTEL/CAUCIUC • STEEL/RUBBER



125/60/40



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu flansa
- Rubber castor W/Plate in steel. Color Grey
- Load capacity 35/40/50 Kg.


CODUL • ITEM

	Ø	A	B	C
70.M00.050.50	50	50	70	32
70.M00.075.50	75	65	100	48
70.M00.0.50	100	75	135	58

OTEL/CAUCIUC • STEEL/RUBBER



112/60/40



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Roata nylon cu flansa si frana
- Rubber castor W/Plate in steel. Color Grey
- Load capacity 35/40/50 Kg.
- W/Brake


CODUL • ITEM

	Ø	A	B	C
70.MF0.050.50	50	50	70	32
70.MF0.075.50	75	65	100	48
70.MF0.100.50	100	75	135	58

ACCIAIO GOMMA • STEEL RUBBER



600



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Rotila tapiterie
- M= Moplen nero - GR= Cauciuc gri
- Wheels
- M= Moplen black - GR= Rubber gray

CODUL • ITEM

	Ø	I	L	H	L ²	KG
23.0717.025.05	25	34	45	28	21	30
23.0717.030.05	30	34	45	28	21	30
23.0717.030.09	30	34	45	33	21	30
23.0717.040.05	40	40	58	43	30	50
23.0717.040.09	40	40	58	43	30	50
23.0717.050.05	50	59	70	56	30	50
23.0717.050.09	50	59	70	56	30	50