


ALAMA • BRASS



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Bucsa din alama
- Socket with sphere. Brassed

CODUL • ITEM

A **M** **L**

01.812.02	8	6	12
01.815.02	8	6	15
01.809.02	8	6	9

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Piulita gheara
- Pronged

CODUL • ITEM

M

01.004M.01	4
01.005M.01	5
01.006M.01	6
01.008M.01	8
01.010M.01	10

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Piulita filet
- Knock down inser nut with head

CODUL • ITEM

M **L** **Ø**

01.614.01	6	14	8
01.816.01	8	16	10
01.1017.01	10	17	12

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Bucsa otel Ø8/10 M6/8
- Junction Ø8/10 M6/8

CODUL • ITEM

Ø **M** **L** **PCS**

01.612.01	8	6	12	3000
01.615.01	8	6	15	2000
01.616.01	10	8	16	1000



ABS • PLASTIC ABS

• Capac mascare

• Adhesive hole cover

CVR.000

9


QTY 15.000

13 QTY 10.000

16 QTY 10.000

20 QTY 9.000

25 QTY 7.200



CODUL • ITEM

QTY

OK.0009._

9

15.000

OK.0013._

13

10.000

OK.0016._

16

10.000

OK.0020._

20

9.000

OK.0025._

25

7.200

- Disponibile cartella colori aggiornata su richiesta
- It's available a color sample updated, on demand

PASLA • FELT



• A RICHIESTA

In scatole espositive

Altre dimensioni

e spessori

• ON DEMAND


In box exhibition

Other thicknesses and sizes

DETALII TEHNICE • TECHNICAL SPECIFICATION

• Feltru adeziv

• Adhesive felt pads in roll




QTY

	CODUL • ITEM	Ø	THICKNESS	L
10400	09.0030.020._	20	3,5	-
7100	09.0030.024._	24	3,5	-
6600	09.0030.026._	26	3,5	-
4600	09.0030.028._	28	3,5	-
4400	09.0030.030._	30	3,5	-
2600	09.0030.034._	34	3,5	-
2200	09.0030.040._	40	3,5	-
10000	09.0030.Q20._	-	3,5	20x20
6700	09.0030.Q25._	-	3,5	25x25
4300	09.0030.Q30._	-	3,5	30x30
2600	09.0030.Q35._	-	3,5	35x35
2200	09.0030.Q40._	-	3,5	40x40

PLASTICA • PLASTIC



500



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar plastic imbinare
- Corner joint


CODUL • ITEM

	L	H	P
06.02834.B	28	34	20
06.02834.N	28	34	20
06.02834.M	28	34	20

PLASTICA • PLASTIC



500



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar plastic imbinare
- Corner joint


CODUL • ITEM

	L	H	P
06.02742.B	27	42	16
06.02742.B	27	42	16
06.02742.B	27	42	16

ACCIAIO • STEEL



400




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Eleement imbinare pat (mic)
- Bad hooks small



CODUL • ITEM

	A	B	C	D	E	F
06.103P.Z	12,5	13,5	5,7	17	8	12,7

ACCIAIO • STEEL



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Eleement imbinare pat (mare)
- Bed hooks big

CODUL • ITEM


	A	B	C	D	E
06.703G.Z	150	11	57	13	69



PLASTIC • PLASTIC



RGP.003P.B



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Suport imbinare plastic
- Nylon junction support


CODUL • ITEM

	Ø	A	B	D
02.02025.B	25	10	25	9,6
02.02025.M	25	10	25	9,6
02.02025.N	25	10	25	9,6

PLASTIC • PLASTIC



RGP.003P.B



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Suport imbinare plastic
- Nylon junction support



CODUL • ITEM

	Ø	A	B	D
02.02019.B	19	7	25	9
02.02019.M	19	7	25	9
02.02019.N	19	7	25	9

PL. ZAMAK • PL. ZAMAK



VIT.T101



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Demontabil montare vertical
- Shelf vertical application from the top



CODUL • ITEM

	Ø	L
02.04125._	20	12,5
02.04140._	20	14

PL. ZAMAK • PL. ZAMAK



VIT.T101



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Demontabil montare vertical si orizontal
- Shelf vertical application from the top or laterally

CODUL • ITEM

	Ø	L
02.01125._	20	12,5
02.01140._	20	14




PLASTIC/CAUCIUC • PLASTIC/RUBBER




1




TR GR AL



2




3



TR

PLASTIC • SOFT PVC



PCS 5000

TR

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Bumper din plastic cu cap de cauciuc
- Double material Bumper/shock absorber with rigid stem and rubber head

CODUL • ITEM

Ø

Ø²

PCS

1 09.0810.GR

8,2

10

1000

2 09.0812.GR

8

12

5000

3 09.0509.GR

5

9

5000

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Bumper din plastic aplicare in cant
- Push Bumpers

CODUL • ITEM

Ø

09.1005Z.TR

5

PLASTIC • SOFT PVC



TR

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Pastila amortizoare
- Adhesive bumpers

CODUL • ITEM

Ø

THICKNESS

PCS

09.00715.TR

7

1,5

10.000

09.01015.TR

10

1,5

10.000

09.01030.TR

10

3

5.000

09.01304.TR



13

4

4.000



PVC/FELTRO • PVC/FELT



PLASTICA • PLASTIC



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Dop plastic pentru picior scuan (patrat)
- Plastic leg tips are provided with brown thermo welded felt

CODUL • ITEM



07.151524.N	15x15
07.161624.N	16x16
07.202024.N	20x20
07.252524.N	25x25
07.01624.N	Ø16
07.01824.N	Ø18
07.02024.N	Ø20
07.02224.N	Ø22
07.02524.N	Ø25

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Dop plastic pentru picior scuan (rotund)
- Plastic wrapping tips are provided with brown thermo welded felt

CODUL • ITEM



07.121421.TR	Ø12	Ø14
07.141421.TR	Ø14	Ø16
07.161421.TR	Ø16	Ø18
07.181421.TR	Ø18	Ø20
07.201421.TR	Ø20	Ø22
07.221421.TR	Ø22	Ø24

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Capac mascare plastic
- Hole cover


CODUL • ITEM



OK.0003._	3	20.000
OK.0005._	5	10.000
OK.0008._	8	5.000
OK.0010._	10	5.000



OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar metalic
- Square plate angled

CODUL • ITEM



23.2040.Z	20	20	40	1,2
23.2540.Z	25	25	40	1,2
23.2550.Z	25	25	50	1,2

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Piacuta metalica
- Square plate

CODUL • ITEM



23.4040.Z	40	40	1
23.5040.Z	40	50	1
23.5050.Z	50	50	1,2

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Piacuta metalica
- Rectangulare plate

CODICI • ITEM



23.040.Z	40	15	1,8
23.060.Z	60	15	1,8
23.080.Z	80	15	1,8
23.0100.Z	100	15	1,8
23.R0120.Z*	120	15	2

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar metalic
- Rectangulare plate angled

CODUL • ITEM



23.2020.Z	20	20	15	1,8
23.3030.Z	30	30	15	1,8
23.4040.Z	40	40	15	1,8
23.5050.Z	50	50	15	1,8
23.6060.Z*	60	60	15	2



OTEL • STEEL




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar metalic
- Angled plate

CODUL • ITEM

CODUL • ITEM	L	L ²	L ³
23.0733.0 .Z	-	-	15/17*
20 / 30 / 40 / 50 / 60 / 70 / 80 / 90 / 100 / 125* / 150*			

OTEL • STEEL




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar metalic pentru mese
- Plate for table leg

CODUL • ITEM

CODUL • ITEM	L
23.064.Z	64

OTEL • STEEL




DETALII TEHNICE • TECHNICAL SPECIFICATION

- Element imbinare pat
- Bed metal support

CODUL • ITEM

CODUL • ITEM	A	B	C	D	E
23.50602.Z	70	36	64	40	30

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Coltar imbinare pat
- Bed metal support

CODUL • ITEM


CODUL • ITEM	L	I
23.RR70.Z	100	32



PLASTICA • PLASTIC



1000



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Alunecator plastic cui dublu
- Slider with two nails

CODUL • ITEM

00.4016._

L

40


H

16

PLASTICA • PLASTIC



1200



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Alunecator plastic dublu
- Slider with two pins

CODUL • ITEM

00.4614._


L

40

H

16

LEGNO • WOOD



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Cep lemn
- Wooden dowels
- Available other measures (L)

CODUL • ITEM

00.530F._

00.630F._

00.830F._

00.1030F._

00.1230F._

00.1430F._

00.1630F._

Ø

5

6

8

10

12

14

16

L

30

30

30

30

30

30

30




10








PLASTIC • PLASTIC



PLASTIC • PLASTIC



PLASTIC • PLASTIC



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Alunecator plastic cui
- Glides plastic with nail

CODUL • ITEM	Ø	L	PCS
00.2412._	12	5	1500
00.2414._	14	5	1500
00.2417._	17	5	1000
00.2420._	20	5	1000
00.2424._	24	5	500

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Alunecator plastic cui
- Glides felt with nail

CODUL • ITEM	Ø
00.11020._	20
00.11024._	24
00.11028._	28


DETALII TEHNICE • TECHNICAL SPECIFICATION

- Alunecator plastic cu surub si pasla
- Glides felt with screw

CODUL • ITEM	Ø
00.11220._	20
00.11224._	24
00.11228._	28



OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION


- Hotzsurub
- Steel screw TPS Head Chipboard

CODUL • ITEM

100.05 Ø H.Z

10, 12, 14, 16, 18, 20, 22, 25, 30, 35
40, 45, 50, 55, 60, 65, 70, 75, 80, 83
85, 90, 100, 110, 120
2,5 / 3 / 3,5 / 4 / 4,5 / 5 / 6

OTEL • STEEL



CVR.D012.* Colori a richiesta. Colors on demand

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Eurosurub imbus - PZ
- Conformat screw with pozidrive or hexagonal head


CODUL • ITEM

	Ø	H	T	PCS
01.014.550.05	5	50	POZI	5000
01.014.750.05	7	50	POZI	2000
01.014.6350.05	6,3	50	POZI	2500
01.014.0750.05	7	50	EXA	2000

OTEL • STEEL



- Acciaio temperato: C1022
- Durezza superficiale: HV 450 Min
- Durezza a cuore: HV 270_390



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Eurosurub Ø7
- Steel Euroscrow TPS Head Ø7

CODUL • ITEM


	Ø	H
01.609TPS._	6,3	9
01.611TPS._	6,3	11
01.613TPS._	6,3	13



Zincata

Nichelata

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Tub conector M4
- Junction Ø5 M4

CODUL • ITEM


	Ø	A	B	PCS
00.013.520.20	5	30	15	4000
00.013.531.20	5	35	15	2000



PLASTIC • NYLON



100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Opritor usa
- Click door stopper

CODUL • ITEM



04.0051.51

20

04.0051.5H

20


04.0051.54

20

PLASTIC • NYLON



500



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Imbinare de colt din doua bucati
- Joint to be inserted 2 pieces. Nylon Int. 32 mm

CODUL • ITEM



04.0257.09


32

48

OTEL • STEEL



-



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Bucsa dublu filet M6x10 mm
- Socket with exagonal insert

CODUL • ITEM



01.017.M410.01

8

4

10

8000

01.017.M512.01

10

5

12

4000

01.017.M610.01

10

6

10

4000

01.017.M612.01

10

6

12

3500

01.017.M613.01

10

6

13

4000

01.017.M615.01

10

6

15

3500

01.017.M620.01

10

6

20

2000

01.017.M624.01

10

6

24

2000

01.017.M813.01

12,5

8

13

2500

01.017.M815.01

12,5

8

15

2000

01.017.M820.01

12,5

8

20

1500

01.017.M824.01

12,5

8

24

1500

01.017.M1020.01

15,3

10

20

1000

01.017.M1025.01

15,3

10

25

500