



ZAMA • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION



- Balama ingropata reglabila
- Zamak hinge for flap door with regulations - Nickel

CODUL • ITEM

52.9030.20

L **L²** **H** **I**
56 37 13 32

ZAMA • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama usa sticla - pin
- Hinge for glaze door, Thickness max 8mm.

CODUL • ITEM

23.0505.005.10

L **L²** **H** **Ø**
40 12 14,5 8

ZAMA • ZAMAK



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama Easy-on cu amortizor
- Zamak hinge Easy-on with spring.

CODUL • ITEM

52.FR000.20

OTEL • STEEL






SOFT-CLOSING

DETALII TEHNICE • TECHNICAL SPECIFICATION

• Balama aruncatoare clip cu amortizare:

Aplicata - Semiaplicata - Incadrata

• Clip-on hinges soft closing with regulations available with crank: 0 - 8 - 15



CODUL • ITEM

I K

52.1B01.G00.20

48 0 $H = 14 + D - S$

52.1B01.G08.20

48 8 $H = 5 + D - S$

52.1B01.G15.20

48 15 $H = -2 + D + A$




OTEL • STEEL

DETALII TEHNICE • TECHNICAL SPECIFICATION

• Placuta 3D pentru balama clip

• Plate for 3D clip-on hinge



CODUL • ITEM

I

52.2B05.H01.20


32

52.2B05.H04.20

32




OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare aplicata, semiaplicata, incadrata
con regulazii disponibile con collo: 0 - 8 - 15
- Slide-on hinges with regulations available with crank:
0 - 8 - 15




CODUL • ITEM

I **K**


52.1B01.B00.20	48	0
52.1B01.B15.20	48	8
52.1B01.B15.20	48	15

OTEL • STEEL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Placuta pentru balama slide-on
- Plate for Slide-on hinge H 2/4



CODUL • ITEM

I **H**

52.2B05.B00.20	32	0
52.2B05.B02.20	32	2
52.2B05.B04.20	32	4

1000 NK
250 Inner boxes







SLIDE-ON

110° • Ø35



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO:
Aplicata, Semiaplicata, Incadrata
- Slide-on hinges with regulations



CODUL • ITEM

I K

54.1B01.B00.20	48	0
54.1B01.B08.20	48	8
54.1B01.B15.20	48	15

SLIDE-ON OTEL • STEEL

165° • Ø35




100



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO
- Slide-on hinges 165° with regulations



CODUL • ITEM

I K

54.1B09.B00.20

48 0

54.1B09.B08.20

48 8

PLACUTA • PLATES OTEL • STEEL



* Eurosurub



1200




900



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Placuta balama DANCO
- Plates for slide-on hinge



CODUL • ITEM

I H

54.2B05.B01.20

32 1

54.2B05.B02.20

32 2

54.2B05.B04.20

32 4

* 54.2B06.C01.20

32 1

* 54.2B06.C02.20

32 2

* 54.2B06.C04.20

32 4

SLIDE-ON

MINI • Ø26



SLIDE-ON


MINI VETRO • Ø26




PLACUTA • PLATE



CRN.DT000.CR




CRN.DS000.CR



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO:
Aplicata, Semiaplicata, Incadrata
- Small slide-on hinges




CODUL • ITEM

I K

54.1C08.F00.20	38	0
54.1C08.F08.20	38	8
54.1C08.F15.20	38	15

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare sticla DANCO:
Aplicata, Semiaplicata, Incadrata
- Small slide-on hinges for glass




CODUL • ITEM

Ø K

54.1H08.F00.20	26	0
54.1H08.F08.20	26	8
54.1H08.F15.20	26	15

DETALII TEHNICE • TECHNICAL SPECIFICATION




CODUL • ITEM

I H

BST.DH00.NK	32	0
BST.DH01.NK	32	01
BST.DH03.NK	32	03


CLIP-ON

110° • Ø35



PCS 250 NK ○○○○

DETALII TEHNICE • TECHNICAL SPECIFICATION



CODUL • ITEM

I **K**

54.1BC01.B00.20	48	0
54.1BC01.B08.20	48	8
54.1BC01.B15.20	48	15

PLACUTA • PLATES



PCS 1000 NK ○○○○



PCS 1000 NK ○○○○



PCS 1000 NK ○○○○



PCS 1000 NK ○○○○

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Placuta balama CLIP
- Plates for CLIP-on hinge

CODUL • ITEM

I **H**

	54.2BC05.B00.20	32	01
1	54.2BC05.B02.20	32	02
	54.2BC05.B04.20	32	04
	54.2BC05.BE00.20	32	01
2	54.2BC05.BE02.20	32	02
	54.2BC05.BE04.20	32	04
3	54.DK97101.20	32	01
4	54.DK98701.20	32	01




CLIP-ON

45° • Ø35



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO CLIP:
Aplicata, Semiaplicata, Incadrata
- Clip-on zamak hinges opening 90° corners 45°
with regulations



CODUL • ITEM

I K

54.D5114800.20	48	0
54.D5114808.20	48	8
54.D5114815.20	48	15

CLIP-ON

Ø35



30°




37°



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO CLIP - 35 grade
- Clip-on zamak hinges to fix on the blind corners



CODUL • ITEM


54.1BC14.B90.20

I K

48 0

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO CLIP - 30 grade
- Clip-on zamak hinges 30°



CODUL • ITEM


54.1BC14.B30.20

I K

48 15

DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare DANCO CLIP - 37 grade
- Clip-on zamak hinges 37°



CODUL • ITEM

54.D5164808.20

I K

48 8


SLIDE-ON

165°



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Balama aruncatoare clip DANCO - 165 grade
- Clip-on hinges 165° with regulations



CODUL • ITEM

I K

54.1BC09.B00.20


48 0

54.1BC09.B08.20

48 8

ACCESSORI • ACCESSORIES

UNIVERSAL



DETALII TEHNICE • TECHNICAL SPECIFICATION

- Amortizor pentru cupa balamale
- Shock absorber for Slide_On and Clip-On hinges

CODUL • ITEM

I

54.D00Z.20

48

REGLABIL



CODUL • ITEM

I

CNR.D00Z.NK

48